

Amendment to the Claims:

This listing of the claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claim 1 (Currently amended): A method for determining binding ~~the ability~~ of an immunoglobulin ~~to bind~~ to a target in an intracellular environment, comprising the steps of:

a) providing, in an intracellular environment, a first molecule and a second molecule, wherein stable interaction of the first and second molecules leads to the generation of a signal [[:]], wherein an immunoglobulin is associated with the first molecule, and wherein

~~b) providing an intracellular immunoglobulin which is associated with the first molecule;~~

e) ~~providing~~ an intracellular target ~~which~~ is associated with the second molecule, such that ~~association~~ binding of the immunoglobulin ~~and to~~ the target leads to the specific stable interaction of the first and second molecules and generation of the signal; and

~~d) b)~~ assessing the intracellular ~~interaction~~ binding between the immunoglobulin and the target by monitoring the signal.

Claim 2 (Currently amended): ~~A~~ The method ~~according to~~ of claim 1, wherein the first and/or second molecules are polypeptides.

Claim 3 (Currently amended): ~~A~~ The method ~~according to~~ of claim 2, wherein the first and second molecules ~~associate~~ are in specific interaction to form an active reporter molecule.

Claim 4 (Currently amended): ~~A~~ The method ~~according to~~ of claim 3, wherein the active reporter molecule is selected from the group consisting of a transcription factor, an enzyme and a bioluminescent molecule.

Claim 5 (Currently amended): ~~A~~ The method ~~according to~~ of claim 4 wherein the active reporter molecule is an enzyme and the method is performed in the presence of a substrate for the enzyme.

Claim 6 (Currently amended): ~~A~~ The method ~~according to~~ of any one of claims 3 to 5, wherein the first and second molecules are domains of the active reporter molecule.

Claim 7 (Currently amended): ~~A~~ The method ~~according to~~ of claim 6, wherein the first molecule is the activation domain of VP16 and the second molecule is the DNA-binding domain of LexA.

Claim 8 (Currently amended): ~~A~~ The method ~~according to any preceding~~ of claim 1, wherein the signal is selected from the group consisting of a change in an optical property and the activation of a reporter gene.

Claim 9 (Currently amended): ~~A~~ The method ~~according to~~ of claim 8, wherein the signal allows the sorting of cells.

Claim 10 (Currently amended): ~~A~~ The method ~~according to any preceding~~ of claim 1, wherein the immunoglobulin is selected from the group consisting of an intact immunoglobulin, a Fv, a scFv, a Fab and a F(ab')₂.

Claim 11 (Currently amended): ~~A~~ The method ~~according to any preceding~~ of claim 1, wherein the immunoglobulin is provided by expressing an immunoglobulin-encoding nucleic acid within the cell.

Claim 12 (Currently amended): ~~A~~ The method ~~according to~~ of claim 11, wherein the immunoglobulin-encoding nucleic acid is obtained from a library of immunoglobulin-encoding nucleic acids.

Claim 13 (Currently amended): ~~A~~ The method ~~according to~~ of claim 12, wherein the library is a phage library encoding a repertoire of immunoglobulins.

Claim 14 (Currently amended): ~~A~~ The method ~~according to~~ of claim 12, wherein the library is constructed from nucleic acids isolated from an organism which has been challenged with an antigen.

Claim 15 (Currently amended): ~~A~~ The method ~~according to~~ of claim 1, comprising the further step of:

e) isolating those immunoglobulins which give rise to a signal.

Claim 16 (Currently amended): ~~A~~ The method ~~according to~~ of claim 15, comprising the further step of:

f) subjecting the selected immunoglobulins to a functional intracellular assay.

Claim 17 (Currently amended): ~~A~~ The method ~~according to any preceding~~ of claim 1, wherein one or both of the immunoglobulins and the target, together with the first or second molecules, are provided in the form of nucleic acid constructs which are transcribed to produce said immunoglobulin and/or target together with said first or second molecules.

Claim 18 (Withdrawn): A method for preparing an immunoglobulin suitable for use in a procedure according to claim 1, comprising the steps of:

(a) expressing a repertoire of immunoglobulin genes in a selection system and isolating those genes which encode immunoglobulins specific for a desired target;

(b) bringing the isolated genes into operative association with nucleic acids encoding a first molecule, wherein stable interaction of the first molecule with a second molecule generates a signal, in order to produce a fusion polypeptide comprising the immunoglobulin and the first molecule.